

Water Conditions Summary

Operations Control, Engineering & Vegetation Management Department

Operations & Maintenance Resource Area

Governing Board Presentation
June 11, 2003

Meteorological Conditions

Meteorological Conditions

- With an early start to the wet season, Districtwide rainfall in May was above average
- May Rainfall : District-wide rainfall was 139% of average


Normal Rainfall: 4.32 inches


Actual Rainfall: 5.98 inches

Est. Pan Evaporation: 6.3 inches

 June Rainfall : District-wide rainfall to-date is near average

- Most areas of the District received average to above average rainfall in May
- Below average rainfall occurred in the Kissimmee basins





DISTRICT-WIDE: 5.97" (138%, +1.65")

G-ADS: COLA/ICES

2003 Hurricane Season Status





Category	Predicted	Average	2002
Named Storms	14	10	12
Hurricanes	8	6	4
Strong Hurricanes	3	2	2

May 27-28th Flood Event

Storm Summary


- Wet period forecast on May 27th
- By mid-day of the 27th, radar returns indicated significant intensification of rainfall in Broward
- Structures in Broward & Miami-Dade were placed on their 'low-range' settings that afternoon
- Ft. Lauderdale Airport reported ~5 inches of rainfall in approximately one hour between 6pm & 7pm
- Miami Weather Service estimated the severity of the storm to be in the range of a 1-in-100 year event
- Hardest hit communities were located downstream of District water control structures
 - Also affected by normal high tides that afternoon
 - Some flooding of homes & businesses reported
- Canals returned to normal operations by the afternoon of the 29th






Governing Board Presentation - June 11, 2003

SFWMD TELEMETRY RAINFALL READINGS SINCE 7am EST (8am EDT)
AS OF: 05/28/2003 05:27 Local











Governing Board Presentation - June 11, 2003

General Hydrologic Conditions

General Hydrologic Conditions


- G Upper Chain Normal levels
- G Kissimmee River Normal seasonal flows
- Y Lake Okeechobee Above desirable stage
- G Lake Okeechobee Agriculture
- **G** Estuaries Normal seasonal salinity


General Hydrologic Conditions


- GWater Conservation Area 1 Above Sched.
- Water Conservation Area 2 Above Sched.
- **Water Conservation Area 3** Above Sched.
- **ENP** Normal seasonal conditions
- GFI. Bay Normal seasonal conditions
- Coast Normal canal levels
- G Lower East Coast Norm. seasonal grndwtr.
- Court Coast Norm. seasonal grndwtr.


Hydrologic Conditions Upper Kissimmee Basins

- Structures at most lakes have terminated regulatory releases
 - Lakes are now in a position to better handle wet season inflows
- Lake Toho Hydrilla Treatment
 - Operations continue to support treatment effort











Tributary Basin Condition Indicators as of June 9, 2003




Hydrologic Conditions Lake Okeechobee

- Lake Okeechobee stages have not receded because of above average rainfall around the lake
 - Kissimmee River inflows have remained low
 - Largest inflows are from Indian Prairie basins
- No agricultural irrigation demands
 - Ag areas have been under flood control operations since mid-May
- USACE Currently making Level I Pulse



Governing Board Presentation - June 11, 2003




Lake Okeechobee Current Operations

- Regulation Schedule
 - Stage presently in Zone D
 - Dry inflow conditions
 - Normal rainfall conditions
 - Wet seasonal forecast
 - Normal multi-seasonal forecast
- No Discharge to the WCAs
 - WCAs above schedule
- Level I Pulse to estuaries




Lake Okeechobee Stage Comparison




Hydrologic Conditions St. Lucie Estuary

- As a result of the recent Level I pulse, salinity measurements near the water surface fell below the lower end of the preferred range at the A-1-A sampling station
- Salinity measurements near the surface at the US#1 station is within, but near the bottom of the preferred range
- Salinity measurements near the bottom of the Estuary are within the preferred range at both sites

Salinity Envelope and A1A Surface and Bottom Mean Daily Salinity in the St. Lucie Estuary




Salinity Envelope and US1 Surface and Bottom Mean Daily Salinity in the St. Lucie Estuary





Hydrologic Conditions Caloosahatchee Estuary


- The 30-day average inflow at S-79 is 1981 cfs and within the preferred flow range.
- The monthly survey of Vallisneria in the upper estuary revealed that densities increased in the past month, indicating continued recovery.
- Salinities in the lower estuary may soon begin to stress Halodule.
- Salinity in San Carlos Bay remains within the tolerable range for seagrass.



Salinity at City of Ft. Myers Yacht Basin and Upper Limit Exceedance of Caloosahatchee MFL and Mean Daily Flow from S79








Loxahatchee River

- Recent rainfall has increased flows significantly in the Loxahatchee River Basin
- Flow across

 Lainhart Dam has
 recently approached
 200 cfs


Loxahatchee River Flows




Governing Board Presentation - June 11, 2003

Groundwater Conditions

- Upper East Coast
 - Normal seasonal levels
- Lower East Coast
 - Above normal seasonal levels
- Lower West Coast Region:
 - above normal seasonal levels




St. Lucie Canal Stages




Water Conservation Areas

- WCA-1 stages above schedule
- WCA-2A stages are above regulation schedule
- WCA-3A stages are above regulation schedule
 - IOP releases to SDCS




Hydrologic Conditions Water Conservation Area No. 1

Stages above regulatory schedule




Hydrologic Conditions Water Conservation Area No. 2A

Above regulation schedule



Hydrologic Conditions Water Conservation Areas


Stages above regulation schedule




Hydrologic Conditions SDCS Current Operations

- Current Operations are in transition from flood operations to normal operations
- Regulatory releases from WCA-3A to SDCS temporarily suspended because of recent rainfall
 - Releases will resume when system stabilizes
 - Pumping at S-331 per 8.5 SMA criteria
 - Pumping to detention areas at S-332B,C & D

SDCS - IOP General Operations



Western Marl Prairie Habitat - Subpopulation A




MP-285 Vater Levels
MP-285 Vater Levels Electric Tape
MP-285 Vater Levels GOES

Climate Outlook

Seasonal Climatic Outlook


 CPC reports that June thru August 2003 has an "equal" probability of above average, average, or below average precipitation



Governing Board Presentation - June 11, 2003

Seasonal Climatic Outlook


 CPC reports that August through November 2003 has slightly higher probability of above average precipitation



Governing Board Presentation - June 11, 2003


Seasonal Climatic Outlook

- CPC reports that
 December 2003
 through March 2004
 has slightly higher
 probability of below
 average precipitation
- Based on the probability of a La Nina system developing in the Pacific




Hydrologic Outlook

S65 UKISS Jun 2003 Position Analysis



(See assumptions @ http://www.sfwmd.gov/org/pld/hsm/sfwmm_pa.html)

Lake Okeechobee SFWMM Jun 2003 Position Analysis



(See assumptions @ http://www.sfwmd.gov/org/pld/hsm/sfwmm_pa.html)